

AFFIDAVIT
(Ammonium Nitrate)

Passport size
photo to be
affixed & self
attested

(Specimen of affidavit to be submitted by applicant on non-judicial stamp paper of worth Rs 10/- duly attested by a Notary Public for the grant of Ammonium Nitrate/transport/NOC.)

I/we, _____ Son/Daughter/Wife
of Sh. _____ presently residing at

_____ since _____ do solemnly affirm and declare as follow: -

1. That my date of birth is _____ (day____month____year)
(proof attach).
2. That I am permanent resident of _____
(Proof attached)

I am the Proprietor/Partner/Manager/Director of the firm M/s _____
_____ dealing in Ammonium Nitrate and
other partners/owners have consented for obtaining Registration Certificate in
my name (Consent of other partners to be attached in the form of Affidavit). My
official address, telephone and E-mail are as under: -

- (I) Official Address _____
- (II) Telephone No. _____
- (III) E-mail _____

3. That I am medically fit (attach a medical certificate issued by a registered MBBS Doctor)
4. That my nominee shall be Shri/Smt. _____
who is my _____ (relationship) and residing at
_____ (Proof attach).
5. That I/we have applied for the storage/sell/use, etc. of Ammonium Nitrate (give details) _____

6. That I undertake that the store house is situated at _____
_____ and covered under the norms of Delhi Master plan-2021 to carry out the said business of hazardous/inflammable material (Proof attach).
7. That I/My Company have no criminal proceedings/case instituted/pending against me/it in India or abroad till date.
8. That I have never been externed from my place of stay by any judicial authority and nor I am a proclaimed offender of any state Govt. or of Delhi Police and to the best of my knowledge, there is no Red Corner Notice or any other Look Out Notice pending against me. (Applicable only in cases of proprietorship concern).
9. All safety measures in the interest of public as per the norms prescribed by all Departments are in place.
10. I have taken adequate safety measures regarding fire fighting arrangement in the premises. Staff of my company firm has adequate knowledge to use fire fighting equipments and is regularly to keep them familiar with the drill of fire fighting and other safety measures.
11. That I have taken valid electrical connection for the said Ammonium Nitrate storehouse. (electricity bill for the last 3 months are attached)
12. I undertake to inform that no child labour has been engaged to work for the said storehouse and no person is addicted to intoxication or of unsound mind or mentally/physically challenged is employed.
13. The site plan showing safety and security management plan is prepared by an authorized person as per Rule 15 of the Ammonium Nitrate Rules, 2012.
14. Photograph of the premises from all directions depicting the clearance from other storehouse of similar nature and the protected work if any are attached.
15. The particulars of persons employed for handing of Ammonium Nitrate with their educational qualification and experiences are attached.

16. Total _____ number of employees are working in the above firm and their character antecedents have been got verified by us to the best of our capability. I further undertake that no employee is involved in any criminal case to the best of our knowledge.
17. That I shall be responsible for maintaining the stock and sale registers of usage/sale of Ammonium Nitrate as per the Ammonium Nitrate Rules-2012 and shall submit the monthly return on the prescribed form. I shall also produce the sell register for inspection/checking as and when required.
18. The stock available at present was procured from M/s_____ and the copies and documents such as bills/vouchers etc. are enclosed.
19. The quantity held month-wise from: -

As on 01.01.13	As on 01.02.13	As on 01.03.13	As on 01.04.13

20. The quantity sold month wise from 01.01.13 to 31.03.13 :-

Jan.13	Feb.13	March 13

21. The source/s of procurement of Ammonium Nitrate during last three months are as follows:

Month	Quantity	Purchase From
Jan.13		
Feb.13		
March-13		
Total		

22. That I will submit end user certificates for the total quantity of Ammonium Nitrate sold by me to various users on quarterly basis and maintain a register to this effect as well under the Ammonium Nitrate Rules, 2012.

23. That the storehouse shall be situated at ground level only having 23 centimeters thick walls built of bricks etc. without any mezzanine floor, upper floor or any basement with the floor (plinth) level not less than 45 centimeters from the ground level and well ventilated. The storehouse shall be protected against lightning as per IS2309.

DEPONENT

VERIFICATION

Verified on _____ day of _____/2013. The particulars furnished by me above are true and correct to the best of my knowledge and I have not concealed or misrepresented any fact.

DEPONENT

ATTESTED

(Signature and seal of Notary Public)